

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 12/9/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Duftöl: Cherry Blossom UFI : 492P-EC1K-C00J-5EDG

Product code

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hansawax GmbH Lloyd Industriepark Richard-Dunkel-Straße 120 DE– 28199 Bremen T 49-421-57890808

hallo@hansawax.de - www.hansawax.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Contains : benzyl benzoate; Phenylethyl alcohol; ACETYL HEXAMETHYL TETRALIN; Citrus medica

limonum (Lemon) peel oil ; Linalyl acetate; Geranium oil Egyptian ; Neryl acetate; Helional; Geraniol; Nerol; Elemi oil; benzyl alcohol; Lemongrass oil ; Ylang ylang oil III; COUMARIN;

Litsea cubeba oil

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	20.4 – 40.744	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	5 – 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	3.8 – 7.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	2.8 – 5.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	2.5 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.5 – 3	Aquatic Chronic 2, H411
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	1.3 – 2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Neryl acetate	CAS-No.: 141-12-8 EC-No.: 205-459-2	0.5 – 1	Skin Sens. 1B, H317
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.4 – 0.75	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
Elemi oil	CAS-No.: 8023-89-0	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.21 – 0.47	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.21699 – 0.36165	Not classified
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.13 – 0.33	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.2 – 0.3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Lemongrass oil	CAS-No.: 8007-02-1 EC-No.: 616-903-3	0.2 – 0.3	Aquatic Chronic 3, H412 Eye Dam. 1, H318 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Ylang ylang oil III	CAS-No.: 8006-81-3 EC-No.: 281-092-1, 616-893- 0	0.2 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Litsea cubeba oil	CAS-No.: 68855-99-2 EC-No.: 290-018-7	0.1 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.003 – 0.015	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0028	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0007	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	0.000254 – 0.000254	Not classified
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	≤ 0.000003	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible). IF exposed or concerned: Get medical

advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

12/9/2024 (Issue date) EN (English) 5/34

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

> from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep

cool

Strong bases. Strong acids. Incompatible products

Sources of ignition. Direct sunlight. Incompatible materials

: 25 °C Storage temperature

: Store in a well-ventilated place. Store away from heat. Storage area

Special rules on packaging Store in a closed container. Packaging materials Do not store in corrodable metal.

Germany

Storage class (LGK, TRGS 510) : LGK 10 - Combustible liquids

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

Joint storage permitted for : LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

Switzerland

: LK 6.1 - Toxic materials Storage class (LK)

7.3. Specific end use(s)

No additional information available

12/9/2024 (Issue date) EN (English) 6/34

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Austria - Occupational Exposure Limits MAK (OEL TWA) ABA (OEL STEL) ABA (OEL TWA) BA (OEL TWA) ABA (OEL TWA) BA (OEL TWA) ABA (OEL TWA) BA (OEL TW	Carbitol (111-90-0)		
MAK (OEL TWA) 35 mg/m² 6 ppm MAK (OEL STEL) 410 mg/m² 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m² 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) 55 mg/m² (6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 70 mg/m² 6 ppm OEL TWA 85 mg/m² 6 ppm OEL STEL 70 mg/m² 12 ppm Sweden - Occupational Exposure Limits NGY (OEL TWA) 80 mg/m² 15 ppm KGY (OEL TWA) 80 mg/m² 15 ppm KGY (OEL STEL) 170 mg/m² 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m² (aerosol. inhalable dust, vapour) CITCAI (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m² (vapor and aerosol) 5 ppm (vapor and aerosol) 0EL chemical category Skin Ppm Skin notation String (vapor and aerosol) 0EL chemical category Skin notation Skin notation String (vapor and aerosol) 0EL chemical category Skin notation Skin notation String (vapor and aerosol) 0EL chemical category Skin notation Skin notation Skin notation String (vapor and aerosol) 0EL chemical category Skin notation Skin notati			
6 ppm		35 mg/m³	
MAK (OEL STEL) 140 mg/m² 24 ppm Estonia - Occupational Exposure Limits OEL TWA 50.1 mg/m² 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 35 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 5 mg/m² 6 ppm OEL STEL 70 mg/m² 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m² 15 ppm KGV (OEL STEL) 170 mg/m² 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m² (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m² (aerosol, inhalable dust, vapour) cltral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m² (vapor and aerosol) 55 ppm (vapor and aerosol) 0EL chemical category Skin Occupational Exposure Limits OEL TWA 55 ppm Sym (vapor and aerosol) 0EL chemical category Skin Occupational Exposure Limits OEL TWA 55 ppm (vapor and aerosol) 0EL chemical category Skin Occupational Exposure Limits OEL TWA 55 ppm (vapor and aerosol) 0EL chemical category Skin Occupational Exposure Limits			
Estonia - Occupational Exposure Limits 50.1 mg/m³ 10 ppm	MAK (OEL STEL)		
Estonia - Occupational Exposure Limits 50.1 mg/m² 10 ppm	MAR (OEL STEL)		
OEL TWA 50.1 mg/m² 10 ppm OEL chemical category Skin notation Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ 6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGY (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL TWA) 90 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) CITIAL (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 2 mg/m² (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) 6 ppm (vapor and aerosol) 7 ppm (vapor and aerosol) 8 ppm (vapor and aerosol) 8 ppm (vapor and aerosol) 9 ppm (vapor and aerosol)	Estania Occupational Evaccius I imita	24 μμπ	
Commany - Occupational Exposure Limits (TRGS 900) Skin notation Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW (VEL TWA) Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Spyrm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stovenia - Occupational Exposure Limits Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stovenia - Occupational Exposure Limits Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are observed) Stomptime (the embryo or fetus can be excluded when AGW and BGW values are obs		F0.1 mg/m3	
OEL chemical category Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 25 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ 6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) kZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	OEL TWA		
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 7 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ 6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin	OFI distribution		
AGW (OEL TWA) 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ 6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGY (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) kZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits			
BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Slovenia - Occupational Exposure Limits OEL TWA 35 mg/m³ 6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGY (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) Citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm Sppm			
Values are observed)	AGW (OEL TWA)		
OEL TWA 35 mg/m³ 6 ppm 70 mg/m³ OEL STEL 70 mg/m³ Sweden - Occupational Exposure Limits NGY (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (6392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits 5 ppm			
6 ppm OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	Slovenia - Occupational Exposure Limits		
OEL STEL 70 mg/m³ 12 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) Citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	OEL TWA	35 mg/m³	
12 ppm		6 ppm	
Sweden - Occupational Exposure Limits NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	OEL STEL	70 mg/m³	
NGV (OEL TWA) 80 mg/m³ 15 ppm KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm		12 ppm	
KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	Sweden - Occupational Exposure Limits		
KGV (OEL STEL) 170 mg/m³ 30 ppm OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) Citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	NGV (OEL TWA)	80 mg/m³	
OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm		15 ppm	
OEL chemical category Skin notation Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	KGV (OEL STEL)	170 mg/m³	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Ireland - Occupational Exposure Limits OEL TWA 5 ppm		30 ppm	
MAK (OEL TWA) 50 mg/m³ (aerosol, inhalable dust, vapour) Citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Ireland - Occupational Exposure Limits OEL TWA 5 ppm	OEL chemical category	Skin notation	
KZGW (OEL STEL) 100 mg/m³ (aerosol, inhalable dust, vapour) citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	Switzerland - Occupational Exposure Limits		
citral (5392-40-5) Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	MAK (OEL TWA)	50 mg/m³ (aerosol, inhalable dust, vapour)	
Belgium - Occupational Exposure Limits OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	KZGW (OEL STEL)	100 mg/m³ (aerosol, inhalable dust, vapour)	
OEL TWA 32 mg/m³ (vapor and aerosol) 5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	citral (5392-40-5)		
5 ppm (vapor and aerosol) OEL chemical category Skin Ireland - Occupational Exposure Limits OEL TWA 5 ppm	Belgium - Occupational Exposure Limits		
OEL chemical category Ireland - Occupational Exposure Limits OEL TWA 5 ppm	OEL TWA	32 mg/m³ (vapor and aerosol)	
Ireland - Occupational Exposure Limits OEL TWA 5 ppm		5 ppm (vapor and aerosol)	
OEL TWA 5 ppm	OEL chemical category	Skin	
	Ireland - Occupational Exposure Limits		
OEL STEL 15 ppm (calculated)	OEL TWA	5 ppm	
	OEL STEL	15 ppm (calculated)	

Safety Data Sheet

citral (5392-40-5)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m³	
	10 ppm	

Safety Data Sheet

benzyl alcohol (100-51-6)		
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	190 mg/m³	
	50 ppm	
MAK (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	77 mg/m³	
	20 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
Bulgaria - Biological limit values		
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	192 mg/m³	
	50 ppm	
KGVI (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	

Safety Data Sheet

Toluene (108-88-3)	
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	200 mg/m³
OEL chemical category	Potential for cutaneous absorption
Czech Republic - Biological limit values	
BLV	1.6 μmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1000 μmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.) 1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)
Denmark - Occupational Exposure Limits	
OEL TWA	94 mg/m³
	25 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	T. T
HTP (OEL TWA)	81 mg/m³

Safety Data Sheet

Toluene (108-88-3)	
	25 ppm
	380 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)
	100 ppm (restrictive limit)
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption
France - Biological limit values	
BLV	20 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS 903)	
Biological limit value	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift
Gibraltar - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³

Safety Data Sheet

Toluene (108-88-3)	
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m³
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Italy - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	14 ppm
OEL chemical category	skin - potential for cutaneous exposure
Latvia - Biological Exposure Indices	
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	192 mg/m³
	50 ppm
TPRV (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Reproductive toxin, Skin notation
Luxembourg - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	•
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³

Safety Data Sheet

Toluene (108-88-3)	
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	150 mg/m³
	39 ppm
TGG-15min (OEL STEL)	384 mg/m³
	100 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	100 mg/m³
NDSCh (OEL STEL)	200 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL STEL	384 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Romania - Biological limit values	
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	192 mg/m³
	50 ppm
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)
OEL chemical category	Potential for cutaneous absorption
Slovakia - Biological limit values	
BLV	600 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift
Slovenia - Occupational Exposure Limits	
OEL TWA	192 mg/m³

Safety Data Sheet

Toluene (108-88-3)	
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Category 2, Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Spain - Biological limit values	
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	192 mg/m³
	50 ppm
KGV (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	191 mg/m³
	50 ppm
WEL STEL (OEL STEL)	384 mg/m³
	100 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	94 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	190 mg/m³
	50 ppm
KZGW (OEL STEL)	760 mg/m³
	200 ppm
OEL chemical category	Skin notation, Category 2 reproductive toxin

Safety Data Sheet

BAT 600 µg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 µmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Toluene - Medium: urine - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 µmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and a several shifts (for long-term exposures) 75 µg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA		
6.48 µmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 µmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and are several shifts (for long-term exposures) 75 µg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift several shifts (for long-term exposures) 75 µg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen USA - ACGIH - Biological Exposure Indices BEI 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Coluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.05 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.05 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift oxid workweek 0.05 mg/l Pa		
ACGIH OEL TWA 20 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen USA - ACGIH - Biological Exposure Indices BEI 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling tend of shift (background) Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
ACGIH chemical category USA - ACGIH - Biological Exposure Indices BEI 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling end of shift (background) Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
USA - ACGIH - Biological Exposure Indices BEI 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling end of shift (background) Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
BEI 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling end of shift (background) Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling end of shift (background) Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
EU - Indicative Occupational Exposure Limit (IOEL) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits		
Austria - Occupational Exposure Limits		
MAK (OEL TWA) 307 mg/m³ (mixed isomers)		
50 ppm (mixed isomers)		
MAK (OEL STEL) 614 mg/m³ (isomers mixtures)		
100 ppm (isomers mixtures)		
OEL chemical category Skin notation		
Belgium - Occupational Exposure Limits		
OEL TWA 308 mg/m³		
50 ppm		
OEL chemical category Skin, Skin notation		
Bulgaria - Occupational Exposure Limits		
OEL TWA 308 mg/m³		
50 ppm		
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) 308 mg/m³		
50 ppm		
OEL chemical category Skin notation		

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Cyprus - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	270 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	309 mg/m³	
	50 ppm	
OEL STEL	618 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits		
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	310 mg/m³ (isomer mixture)	
	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
	100 ppm	
OEL STEL	900 mg/m³	
	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	
	50 ppm (1-(3-Methoxypropoxy)propan-1-ol)	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
	50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
	75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m³	
	48.7 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (indicative limit value)	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
	50 ppm (indicative limit value)	
OEL STEL	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL STEL	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
	50 ppm	
KGV (OEL STEL)	450 mg/m³	
	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	308 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits	·	
Grenseverdi (OEL TWA)	300 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
	75 ppm (value calculated)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

·	300 mg/m³ (aerosol, vapour)	
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)	
·	300 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL)	50 ppm (aerosol, vapour)	
	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900	0)	
· ·	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

characteristic. Odour Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point · 90 °C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available
Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.001376689 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 8.671837 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Duftöl: Cherry Blossom		
ATE CLP (oral)	1027.199 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

Phenylethyl alcohol (60-12-8)			
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)		
LD50 oral	1610 mg/kg		
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 4.63 mg/l/4h		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)		
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)		
LC50 Inhalation - Rat	> 5.04 mg/l/4h		
ACETYL HEXAMETHYL TETRALIN (21145-77-	ACETYL HEXAMETHYL TETRALIN (21145-77-7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)		
LD50 oral	1000 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)		
Citrus medica limonum (Lemon) peel oil (800	8-56-8)		
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)		
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)		
beta-lonone (14901-07-6)			
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)		
LD50 oral	3940 mg/kg bodyweight		
Geranium oil Egyptian (8000-46-2)			
LD50 oral	4811 mg/kg bodyweight		
LD50 dermal	2500 mg/kg bodyweight		
Neryl acetate (141-12-8)			
LD50 oral rat	> 2000 mg/kg (Source: ECHA)		
LD50 dermal rabbit	> 6 ml/kg (Source: ECHA_API)		
Helional (1205-17-0)			
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)		
Carbitol (111-90-0)			
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)		
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)		
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)		
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)		
LD50 oral	3600 mg/kg bodyweight		
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)		

Safety Data Sheet

Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Elemi oil (8023-89-0)		
LD50 oral rat	3370 mg/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
Lemongrass oil (8007-02-1)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Ylang ylang oil III (8006-81-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Litsea cubeba oil (68855-99-2)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal	4800 mg/kg bodyweight	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Skin corrosion/irritation :	Causes skin irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Causes serious eye irritation. Serious eye damage/irritation : May cause an allergic skin reaction. Respiratory or skin sensitisation

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

COUMARIN ((91-64-5)
------------	-----------

3 - Not classifiable IARC group

Toluene (108-88-3)

IARC group 3 - Not classifiable

: Suspected of damaging fertility or the unborn child. Reproductive toxicity

STOT-single exposure : Not classified

Toluene (108-88-3)

STOT-single exposure May cause drowsiness or dizziness.

: Not classified STOT-repeated exposure

Toluene (108-88-3)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

Toluene (108-88-3)

Yes Hydrocarbon

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Phenylethyl alcohol (60-12-8)		
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Fish [1] 0.452 mg/l Wolf, 1996d-27682		

Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
Carbitol (111-90-0)		
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)	
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Geraniol (106-24-1)		
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
Nerol (106-25-2)		
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
citral (5392-40-5)		
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Toluene (108-88-3)		
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)	
Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

Safety Data Sheet

Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
Duftöl: Cherry Blossom		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Phenylethyl alcohol (60-12-8)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Persistence and degradability	Rapidly degradable	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
beta-lonone (14901-07-6)		
Persistence and degradability	Rapidly degradable	
Geranium oil Egyptian (8000-46-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Neryl acetate (141-12-8)		
Persistence and degradability	Rapidly degradable	
Helional (1205-17-0)		
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	
Geraniol (106-24-1)		
Persistence and degradability	Rapidly degradable	
Nerol (106-25-2)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Elemi oil (8023-89-0)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable
Lemongrass oil (8007-02-1)	
Persistence and degradability	Rapidly degradable
Ylang ylang oil III (8006-81-3)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Litsea cubeba oil (68855-99-2)	
Persistence and degradability	Rapidly degradable
Toluene (108-88-3)	
Persistence and degradability	Rapidly degradable
Dipropylene glycol monomethyl ether (34590-	94-8)
Persistence and degradability	Rapidly degradable
Alcohol C-10 (112-30-1)	
Persistence and degradability	Rapidly degradable
Aldehyde C-6 (66-25-1)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
Duftöl: Cherry Blossom	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
ACETYL HEXAMETHYL TETRALIN (21145-77-	
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
beta-lonone (14901-07-6)	
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Geranium oil Egyptian (8000-46-2)	
Bioaccumulative potential	Not established.
Neryl acetate (141-12-8)	
Partition coefficient n-octanol/water (Log Pow)	3.98 (at 37 °C (at pH 7.2)
Helional (1205-17-0)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)
Carbitol (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.8
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Nerol (106-25-2)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Toluene (108-88-3)	
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)
Dipropylene glycol monomethyl ether (34590-	94-8)
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)
Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations Ecological information

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.

: Avoid release to the environment.

12/9/2024 (Issue date) EN (English) 28/34

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

: HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III
14.3. Transport hazard of	class(es)			
9	9	9	9	9
**************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1		1

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1

12/9/2024 (Issue date) EN (English) 29/34

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 TP1, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REA	ACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	Citrus medica limonum (Lemon) peel oil ; Elemi oil ; Toluene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Duftöl: Cherry Blossom; benzyl benzoate; Phenylethyl alcohol; Citrus medica limonum (Lemon) peel oil; Linalyl acetate; Geranium oil Egyptian; Neryl acetate; Helional; Geraniol; Nerol; citral; Elemi oil; benzyl alcohol; Lemongrass oil; Ylang ylang oil III; Litsea cubeba oil; Toluene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Duftöl: Cherry Blossom; benzyl benzoate; 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB); Citrus medica limonum (Lemon) peel oil; beta-lonone; Geranium oil Egyptian; Helional; Elemi oil; Lemongrass oil; Ylang ylang oil III; Litsea cubeba oil; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Citrus medica limonum (Lemon) peel oil; Elemi oil; Toluene; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
48.	Toluene	Toluene

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 8.671837 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

> environment : Lemon oil is listed : Lemon oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van mutagene stoffen

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: Toluene is listed

Denmark

Class for fire hazard : Class III-1 : 50 liter Store unit

12/9/2024 (Issue date) EN (English) 32/34

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification remarks

: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations

Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H336	May cause drowsiness or dizziness.	
H361	Suspected of damaging fertility or the unborn child.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.