

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 10/24/2019 Revision date: 12/20/2024 Supersedes version of: 9/9/2024 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Duftöl: Frizzante & Rose
UFI : U12R-521J-800U-FEHH

Product code

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hansawax GmbH Lloyd Industriepark Richard-Dunkel-Straße 120 DE– 28199 Bremen T 49-421-57890808

hallo@hansawax.de - www.hansawax.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Citronellol Pure;

Benzyl salicylate; Vertofix; Patchouli oil; Linalyl acetate; CUPRESSUS FUNEBRIS WOOD

OIL; Linalool; Guaiacwood acetate; Clove Leaf Oil; Black pepper oil

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- 19	29 – 58.05	Aquatic Acute 1, H400
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314- 33	9.2 – 18.45	Aquatic Chronic 2, H411
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	3.9 – 7.75	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	1.8 – 3.6	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.5 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
CUPRESSUS FUNEBRIS WOOD OIL	CAS-No.: 85085-29-6 EC-No.: 285-360-9	0.4 – 0.85	Skin Corr. 1, H314 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.4 – 0.8	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.3 – 0.55	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.3 – 0.55	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.2516376 – 0.4774564	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.1191258 – 0.2786887	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.2	Aquatic Chronic 3, H412
Guaiacwood acetate	CAS-No.: 61789-17-1 EC-No.: 309-448-4	0.1 – 0.2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Clove Leaf Oil	CAS-No.: 8000-34-8 EC-No.: 616-772-2	0.1 – 0.1	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Black pepper oil	CAS-No.: 8006-82-4 EC-No.: 284-524-7;616-894-6	0.1 – 0.1	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.051228 – 0.076842	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.007651 – 0.0114765	Flam. Liq. 3, H226

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	0.0000008 – 0.0000012	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this

label). If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain

medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well

 $ventilated\ place\ away\ from\ : Keep\ away\ from\ heat,\ hot\ surfaces,\ sparks,\ open\ flames\ and$

other ignition sources. No smoking. Keep container closed when not in use. Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

12/20/2024 (Revision date) EN (English) 5/27

Safety Data Sheet

Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	400 mg/m³	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m³	
	50 ppm	
IOEL STEL	384 mg/m³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	190 mg/m³	
	50 ppm	
MAK (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	77 mg/m³	
	20 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
Bulgaria - Biological limit values		
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	192 mg/m³	
	50 ppm	
KGVI (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	

Safety Data Sheet

Toluene (108-88-3)		
Croatia - Biological limit values		
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)	
Cyprus - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	200 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Czech Republic - Biological limit values		
BLV	1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.) 1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)	
Denmark - Occupational Exposure Limits		
OEL TWA	94 mg/m³	
	25 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits	T	
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
25	100 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	81 mg/m³	

Safety Data Sheet

Toluene (108-88-3)		
	25 ppm	
HTP (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Finland - Biological limit values		
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day	
France - Occupational Exposure Limits		
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)	
	20 ppm (restrictive limit)	
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption	
France - Biological limit values		
BLV	20 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	190 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Germany - Biological limit values (TRGS 903)		
Biological limit value	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift	
Gibraltar - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	

Safety Data Sheet

Toluene (108-88-3)		
	100 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	190 mg/m³	
CK (OEL STEL)	384 mg/m³	
OEL chemical category	Potential for cutaneous absorption	
Ireland - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	14 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Latvia - Biological Exposure Indices		
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	192 mg/m³	
	50 ppm	
TPRV (OEL STEL)	384 mg/m³	
	100 ppm	
OEL chemical category	Reproductive toxin, Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m³	

Safety Data Sheet

Toluene (108-88-3)	
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	150 mg/m³
	39 ppm
TGG-15min (OEL STEL)	384 mg/m³
	100 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	100 mg/m³
NDSCh (OEL STEL)	200 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL STEL	384 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Romania - Biological limit values	
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	192 mg/m³
	50 ppm
NPHV (OEL C)	384 mg/m³ (also biological monitoring considered)
OEL chemical category	Potential for cutaneous absorption
Slovakia - Biological limit values	
BLV	600 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 2401 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift
Slovenia - Occupational Exposure Limits	
OEL TWA	192 mg/m³

Safety Data Sheet

Toluene (108-88-3)				
	50 ppm			
OEL STEL	384 mg/m³			
	100 ppm			
OEL chemical category	Category 2, Potential for cutaneous absorption			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
VLA-EC (OEL STEL)	384 mg/m³			
	100 ppm			
OEL chemical category	skin - potential for cutaneous absorption			
Spain - Biological limit values				
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift			
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	192 mg/m³			
	50 ppm			
KGV (OEL STEL)	384 mg/m³			
	100 ppm			
OEL chemical category	Skin notation			
United Kingdom - Occupational Exposure Limits				
WEL TWA (OEL TWA)	191 mg/m³			
	50 ppm			
WEL STEL (OEL STEL)	384 mg/m³			
	100 ppm			
WEL chemical category	Potential for cutaneous absorption			
Norway - Occupational Exposure Limits	Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	94 mg/m³			
	25 ppm			
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)			
	37.5 ppm (value calculated)			
OEL chemical category	Skin notation			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	190 mg/m³			
	50 ppm			
KZGW (OEL STEL)	760 mg/m³			
	200 ppm			
OEL chemical category	Skin notation, Category 2 reproductive toxin			

Safety Data Sheet

Toluene (108-88-3)		
Switzerland - BAT		
BAT	600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA - ACGIH - Biological Exposure Indices		
BEI	0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
.betaPinene (127-91-3)		
Belgium - Occupational Exposure Limits		
OEL TWA	20 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	150 mg/m³	
	25 ppm	
TPRV (OEL STEL)	300 mg/m³	
	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m³	

Safety Data Sheet

OEL chemical category Sensitizer Norway - Occupational Exposure Limits 140 mg/m² Fenseverd (OEL TWA) 140 mg/m² 55 ppm 75 mg/m² (value calculated) Korttdsverd (OEL STEL) 175 mg/m² (value calculated) USA - A CGIH - Occupational Exposure Limits A CGIH OEL TWA 20 ppm (Turpenline and selected Monoterpenes) A CGIH OEL TWA 20 ppm (Turpenline and selected Monoterpenes) A CGIH OEL TWA Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits CEL TWA 62 mg/m² 10 ppm Dennark - Occupational Exposure Limits Dennark - Occupational Exposure Limits 122 mg/m² 10 ppm Dennark - Occupational Exposure Limits Del TWA 0 ppm Del TWA 0 ppm <td< th=""><th colspan="3">.betaPinene (127-91-3)</th></td<>	.betaPinene (127-91-3)		
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m² 25 pm 25 pm Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) USA - ACGIH - Occupational Exposure Limits 37.5 pm (value calculated) USA - ACGIH - Occupational Exposure Limits 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm 10 ppm Denmark - Occupational Exposure Limits 10 ppm OEL STEL 122 mg/m² 10 ppm 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 5 mg/m² Latvia - Occupational Exposure Limits 1 ppm OEL TWA 5 mg/m² DEL TWA 5 mg/m² Portugal - Occupational Exposure Limits 1 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm </td <td></td> <td>50 ppm</td>		50 ppm	
Grenseverdi (OEL TWA) 140 mg/m² Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH Cell TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH Chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acetate (140-11-4) Bolgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm Denmark - Occupational Exposure Limits OEL STEL 81 mg/m² 122 mg/m² 129 mg/m² OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 5 mg/m² OCCupational Exposure Limits OCCupational Exposure Limits OEL TWA 5 mg/m² OEL TWA 10 ppm OEL Chemical category A4 - Not Classifiable as a Human Carcinogen	OEL chemical category	Sensitizer	
Korttidsverdi (OEL STEL) 25 ppm Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) XSA - ACGIH - Occupational Exposure Limits 20 ppm (Turpentine and selected Monoterpenes) ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm OEL TWA 61 mg/m² 10 ppm OEL STEL 122 mg/m² 02 ppm Iralization occupational Exposure Limits OEL STEL 02 ppm (calculated) 12 trival 0 ppm (calculated) 12 trival 0 mg/m² 0EL TWA 5 mg/m² 10E TWA 5 mg/m² 10E TWA 10 ppm 10E TWA	Norway - Occupational Exposure Limits		
Kortidsvardi (OEL STEL) 175 mg/m² (value calculated) 37.5 ppm (value calculated) USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Belgium - Occupational Exposure Limits 62 mg/m² OEL TWA 61 mg/m² 10 ppm 10 ppm OEL STEL 122 mg/m² 20 ppm 122 mg/m² 20 ppm 10 ppm OEL STEL 5 mg/m² OEL STEL 5 mg/m² OEL STEL 5 mg/m² DEL TWA 10 ppm OEL STEL 5 mg/m² Lithuania - Occupational Exposure Limits Value of Classifiable as a Human Carcinogen CEL TWA 10 ppm OEL chemical category A + Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits Sppm OEL STEL 80 mg/m²	Grenseverdi (OEL TWA)	140 mg/m³	
USA - ACGIH - Occupational Exposure Limits ACGIH Chemical category Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m² 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL STEL 62 mg/m³ 10 ppm OEL STEL 70 ppm Ireland - Occupational Exposure Limits OEL TWA 61 mg/m² 10 ppm OEL STEL 70 ppm Ireland - Occupational Exposure Limits OEL TWA 70 ppm OEL STEL 80 mg/m² 20 ppm Ireland - Occupational Exposure Limits OEL TWA 90 mg/m² 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL STEL 10 ppm OEL TWA 10 ppm		25 ppm	
USA - ACGIH - Occupational Exposure Limits ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acctate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm 10 ppm OEL TWA 81 mg/m³ 10 ppm 10 ppm OEL STEL 122 mg/m³ 20 ppm 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits 10 ppm OEL TWA 5 mg/m³ Latvia - Occupational Exposure Limits 10 ppm OEL TWA 5 mg/m³ Littuania - Occupational Exposure Limits 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL Chemical Category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 50 mg/m³ OEL TWA 10 ppm OEL STEL 20 mg/m³	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
ACGIH OEL TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Benzyl acetate (140-11-4) Benzyl acetate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm OEL TWA 61 mg/m³ 10 ppm Ireland - Occupational Exposure Limits OEL TWA 0EL TWA 10 ppm OEL TWA OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 50 mg/m³ OEL TWA 80 mg/m³		37.5 ppm (value calculated)	
ACGIH chemical category Benzyl acctate (140-11-4) Belgium - Occupational Exposure Limits OEL TWA 62 mg/m² 10 ppm Denmark - Occupational Exposure Limits OEL TWA 61 mg/m² 10 ppm OEL STEL 122 mg/m² 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 10 ppm OEL TWA OEL TWA 10 ppm OEL TWA OEL TWA 10 ppm OEL Chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA OEL TWA 10 ppm OEL TWA OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA OEL TWA	USA - ACGIH - Occupational Exposure Limits		
Berglum - Occupational Exposure Limits OEL TWA 62 mg/m³ Denmark - Occupational Exposure Limits 61 mg/m³ OEL TWA 61 mg/m³ OEL TWA 10 ppm OEL STEL 122 mg/m³ 10 ppm 10 ppm OEL TWA 10 ppm OEL TWA 30 ppm (calculated) OEL TWA 5 mg/m³ OEL TWA 5 mg/m³ Litural - Occupational Exposure Limits 10 ppm OEL TWA 5 mg/m³ Litural - Occupational Exposure Limits 10 ppm OEL TWA 5 mg/m³ Portugal - Occupational Exposure Limits 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 9 mg/m³ OEL TWA 10 ppm OEL TWA 9 mg/m³ OEL TWA 9 mg/m³ OEL TWA 10 ppm OEL TWA 9 mg/m³ 10 ppm 10 ppm OEL STEL 90 mg/m³ 10 ppm <td>ACGIH OEL TWA</td> <td>20 ppm (Turpentine and selected Monoterpenes)</td>	ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
Beigium - Occupational Exposure Limits OEL TWA 62 mg/m³ 10 ppm 10 ppm Demark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm 10 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 9 mg/m³ OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits UPV (OEL TWA) \$ mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 8 ppm OEL TWA 80 mg/m³ 80 mg/m³ 3 ppm 90 mg/m³ Span= - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m² OEL TWA 62 mg/m² OEL TWA 62 mg/m²	ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
OEL TWA 62 mg/m³ Denmark - Occupational Exposure Limits 61 mg/m³ OEL TWA 61 mg/m³ 10 ppm 10 ppm OEL STEL 122 mg/m³ 20 ppm 20 ppm Ireland - Occupational Exposure Limits 10 ppm OEL TWA 30 ppm (calculated) Latvia - Occupational Exposure Limits Exposure Limits UIthuania - Occupational Exposure Limits 5 mg/m³ Lithuania - Occupational Exposure Limits Formala - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 50 mg/m³ OEL TWA 80 mg/m³ OEL TWA 80 mg/m³ Spin 80 mg/m³ 3 ppm 80 mg/m³ Spin - Occupational Exposure Limits 62 mg/m³ OEL TWA 62 mg/m³ 10 ppm 10 ppm	Benzyl acetate (140-11-4)		
Depmark - Occupational Exposure Limits	Belgium - Occupational Exposure Limits		
Denmark - Occupational Exposure Limits OEL TWA 61 mg/m³ 10 ppm 122 mg/m³ 20 ppm 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL TWA 10 ppm OEL TWA 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 50 mg/m³ 8 ppm 8 ppm OEL STEL 80 mg/m³ 13 ppm 13 ppm Spain - Occupational Exposure Limits VIA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL TWA	62 mg/m³	
OEL TWA 61 mg/m² 10 ppm OEL STEL 122 mg/m³ 20 ppm Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m² Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm		10 ppm	
10 ppm	Denmark - Occupational Exposure Limits		
OEL STEL 122 mg/m³ ireland - Occupational Exposure Limits 10 ppm OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits CEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 6 ppm OEL STEL 80 mg/m³ 3 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm 10 ppm	OEL TWA	61 mg/m³	
Potential		10 ppm	
Ireland - Occupational Exposure Limits OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL STEL	122 mg/m³	
OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits DEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm		20 ppm	
OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits 5 mg/m³ DEL TWA 5 mg/m³ Portugal - Occupational Exposure Limits PRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
CEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL TWA	10 ppm	
OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL STEL	30 ppm (calculated)	
Lithuania - Occupational Exposure Limits Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL TWA	5 mg/m³	
Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits		
OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	IPRV (OEL TWA)	5 mg/m³	
OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	Portugal - Occupational Exposure Limits		
Romania - Occupational Exposure Limits OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL TWA	10 ppm	
OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
S S S S S S S S S S	Romania - Occupational Exposure Limits		
OEL STEL 80 mg/m³ 13 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL TWA	50 mg/m³	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits		8 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits	OEL STEL	80 mg/m³	
VLA-ED (OEL TWA) 62 mg/m³ 10 ppm USA - ACGIH - Occupational Exposure Limits		13 ppm	
USA - ACGIH - Occupational Exposure Limits			
USA - ACGIH - Occupational Exposure Limits	VLA-ED (OEL TWA)		
		10 ppm	
ACGIH OEL TWA 10 ppm	USA - ACGIH - Occupational Exposure Limits		
	ACGIH OEL TWA	10 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)

ACGIH chemical category

Not Classifiable as a Human Carcinogen

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour characteristic. Odour threshold : Not available Melting point Not applicable Freezing point Not available Not available Boiling point Flammability Not applicable Lower explosion limit Not available Upper explosion limit : Not available : > 93.3 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available

Partition coefficient n-octanol/water (Log Kow) Vapour pressure : 0.000735948 mm Hg (calculated value)

Not available

Vapour pressure at 50°C : Not available Density : Not available : ≈ 1.052 Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 2.2358197 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Not classified Acute toxicity (oral) : Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

Safety Data Sheet

Bis(2-ethylhexyl) adipate (103-23-1)			
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)		
LC50 Inhalation - Rat	> 5.7 mg/l/4h		
Ethylene brassylate (105-95-3)			
LD50 oral rat	> 5000 mg/kg (Source: ECHA)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)		
Citronellol Pure (106-22-9)			
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)		
LD50 oral	3450 mg/kg bodyweight		
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)		
LD50 dermal	2650 mg/kg bodyweight		
Phenylethyl alcohol (60-12-8)			
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)		
LD50 oral	1610 mg/kg		
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 4.63 mg/l/4h		
Benzyl salicylate (118-58-1)			
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)		
LD50 oral	2200 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Vertofix (32388-55-9)			
LD50 oral	4500 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
Patchouli oil (8014-09-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
Linalyl acetate (115-95-7)			
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)		
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)		
Toluene (108-88-3)			
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat	12.5 mg/l/4h		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)		

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Guaiacwood acetate (61789-17-1)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Clove Leaf Oil (8000-34-8)	
LD50 oral rat	1370 mg/kg (Source: NZ_CCID)
LD50 oral	2650 mg/kg bodyweight
LD50 dermal rabbit	1200 mg/kg (Source: NLM_CIP)
LD50 dermal	2500 mg/kg bodyweight
Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity :	Not classified Not classified May cause an allergic skin reaction. Not classified Not classified
Bis(2-ethylhexyl) adipate (103-23-1)	
IARC group	3 - Not classifiable
Toluene (108-88-3)	
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
•	Not classified
- 5 1	Not classified
Toluene (108-88-3)	May acuse drawsings or direins -
STOT-single exposure STOT-repeated exposure :	May cause drowsiness or dizziness. Not classified
Toluene (108-88-3)	THE GRADINE
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
	Not classified
Toluene (108-88-3)	
Hydrocarbon	Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon Yes		
.betaPinene (127-91-3)		
Hydrocarbon Yes		

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)	
> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
> 500 mg/l (Species: Desmodesmus subspicatus)	
287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
490 mg/l (Species: Desmodesmus subspicatus)	
1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])	
> 433 mg/l (Species: Pseudokirchneriella subcapitata)	

Safety Data Sheet

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
12.2. Persistence and degradability	
Duftöl: Frizzante & Rose	
Persistence and degradability	Not established.
Bis(2-ethylhexyl) adipate (103-23-1)	
Persistence and degradability	Rapidly degradable
Ethylene brassylate (105-95-3)	
Persistence and degradability	Rapidly degradable
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	vl-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
Citronellol Pure (106-22-9)	
Persistence and degradability	Rapidly degradable
Phenylethyl alcohol (60-12-8)	
Persistence and degradability	Rapidly degradable
Benzyl salicylate (118-58-1)	
Persistence and degradability	Rapidly degradable
Vertofix (32388-55-9)	
Persistence and degradability	Rapidly degradable
Patchouli oil (8014-09-3)	
Persistence and degradability	Rapidly degradable
Linalyl acetate (115-95-7)	
Persistence and degradability	Rapidly degradable
CUPRESSUS FUNEBRIS WOOD OIL (85085-29	9-6)
Persistence and degradability	Rapidly degradable
Toluene (108-88-3)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
.betaPinene (127-91-3)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)				
Persistence and degradability	Rapidly degradable			
Guaiacwood acetate (61789-17-1)				
Persistence and degradability	Rapidly degradable			
Clove Leaf Oil (8000-34-8)				
Persistence and degradability	Rapidly degradable			
Black pepper oil (8006-82-4)				
Persistence and degradability	Rapidly degradable			
12.3. Bioaccumulative potential				
Duftöl: Frizzante & Rose				
Bioaccumulative potential	Not established.			
Bis(2-ethylhexyl) adipate (103-23-1)				
BCF - Fish [1]	(27 dimensionless)			
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)			
Ethylene brassylate (105-95-3)				
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)			
Citronellol Pure (106-22-9)				
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)			
Phenylethyl alcohol (60-12-8)				
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)			
Benzyl salicylate (118-58-1)				
Partition coefficient n-octanol/water (Log Pow)	4			
Vertofix (32388-55-9)				
BCF - Fish [1]	(3920 dimensionless (organ w.w.)			
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9			
Linalyl acetate (115-95-7)	Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)			
Toluene (108-88-3)				
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)			
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)				
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
12.4 Mobility in soil				

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shippin	g name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ISO E SUPER), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9,		
14.3. Transport hazard	class(es)					
9	9	9	9	9		
	**************************************	**************************************	**************************************	**************************************		
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental hazards						
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes		
No supplementary information	on available					

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 : IBC03 IBC packing instructions (IMDG) Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	Black pepper oil; Toluene; (R)-p-mentha-1,8-diene; d-limonene; .betaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	Duftöl: Frizzante & Rose; Phenylethyl alcohol; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Citronellol Pure; Vertofix; Benzyl salicylate; Patchouli oil; Linalyl acetate; Linalool; Guaiacwood acetate; Clove Leaf Oil; Black pepper oil; Toluene; (R)-p-mentha-1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(c)	Duftöl: Frizzante & Rose; Ethylene brassylate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Vertofix; Benzyl salicylate; Patchouli oil; Benzyl acetate; Guaiacwood acetate; Black pepper oil; (R)-p- mentha-1,8-diene; d- limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Black pepper oil ; Toluene ; (R)-p-mentha-1,8-diene; d-limonene ; .beta Pinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	
48.	Toluene	Toluene	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 2.2358197 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

: Toluene is listed

SZW-lijst van kankerverwekkende stoffen : CUPRESSUS FUNEBRIS WOOD OIL,Guaiacwood acetate,Black pepper oil are listed

SZW-lijst van mutagene stoffen : CUPRESSUS FUNEBRIS WOOD OIL,Guaiacwood acetate,Black pepper oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SZW-lijst van reprotoxische stoffen - Ontwikkeling

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.